# **BIOCOMPATIBLE OIL IN WATER MICROEMULSIONS WITH HYALURONIC** ACID AND SALICYLIC ACID AND METHOD FOR OBTAINING THEREOF

Patent Application No. A 176 / 01.04.2020 – OSIM

Cristina Elena DINU-PÎRVU, Lăcrămioara POPA, Mihaela Violeta GHICA, Valentina ANUȚA, Răzvan-Mihai PRISADA, Bruno Ștefan VELESCU, Marina-Theodora TALIANU

Class no. 4: **Medicine** -**Health Care** - Cosmetics

### THE FIELD OF THE INVENTION

DOCENDO DISCITUR A.D. 1857


□ The invention refers to **biocompatible** oil in water microemulsions with hyaluronic acid and salicylic acid, designed for topical application in dermatologic therapy of acne and a method for obtaining thereof.

### DESCRIPTION


The method used to prepare oil in water microemulsions, according to the invention, consists in: lecithin 0.5% prepared as aqueous suspension is mixed with Tween 80 20...30% and propylene glycol 10...15% thus generating a complex surface tension modulator with solubilization function for salicylic acid



**CHARACTERIZATION** 



0.5%. The resulted mixture will be integrated in a solution formed with hyaluronic acid 1% and distilled water. The vegetable oil phase 1% composed of oat oil 0.5% and pomegranate oil 0.5% will be added drop by drop using oil titration method, under magnetic stirring. Finally, the obtained systems have a clear aspect, with fluid structure. After a deposition period at 4°C the microemulsions were physico-chemically characterized by: pH, conductivity, refractive index and rheological behaviour.



Rheological profiles for the invented microemulsions MEAS 1 (a), MEAS 2 (b) and MEAS 3 (c), expressed as shear stress versus shear rate, defining the linear character according to Newton's law

## **ADVANTAGES**

%)

**The advantages** residing from the application of the invention are the following: □ The topical use of biocompatible oil in water microemulsions which (i) may include an antiacne active,

namely salicylic acid 0.5% by integrating a surface tension modulator system with a double function: solubilization capacity and diffusion promoter through stratum corneum;

- □ In the same manner, minimizing the adverse reactions of salicylic acid like erythema or dryness by integrating (ii) hyaluronic acid as a biopolymer with hydrating, protective and resurfacing properties; U Hyaluronic acid acts as a viscosity promoter due to hydrogen bonds formed with water molecules,
- resulting thus a structural network which enhance the sensorial properties of the final products;
- □ The biocompatibility of surface tension mixture is defined by the (iii) association of Tween 80 as a nonionic surfactant with lecithin as a natural zwitterionic surfactant in combination with propylene glycol as a cosurfactant in a minimal concentration, under 70 %.
- Based on the described composition, microemulsion systems with a high biocompatibility will result, using a simple and rapid manufacturing method without energy consumption.

### ACKNOWLEDGEMENT

The authors gratefully acknowledge the financial support of "Carol Davila" University of Medicine and Pharmacy through FDI-2020-0526 Supporting excellence in Health domain by optimizing preclinical experimental models".

> Email: ecristinaparvu@yahoo.com cristina.dinu@umfcd.ro